

## Math 2850-006, Fall 2014

### Quiz 1

1. Find  $d^2y/dx^2$  at the point on the parametric curve  $x = t + e^t$ ,  $y = 1 - e^t$  where  $t = 0$ .
2. Find the area *inside* the cardioid  $r = 1 + \cos \theta$  and *outside* the cardioid  $r = 1 - \cos \theta$ .

### Quiz 2

1. Find a parametrization of the line through the point  $(1, 2, -1)$  and perpendicular to the plane  $3x + y - 2z = 5$ .
2. Find the area of the triangle with vertices  $(1, 1, 1)$ ,  $(2, 1, 3)$ , and  $(3, -1, 1)$ .

### Quiz 3

1. Find the equation of the plane that contains the point  $(-1, 2, 0)$  and is perpendicular to the parametric line  $\mathbf{r}(t) = \langle 2t + 1, 3 - t, t - 2 \rangle$ .
2. Find the distance from the point  $(2, 2, 3)$  to the plane  $2x + y + 2z = 4$ .

### Quiz 4

1. For the particle whose position at time  $t$  is  $\mathbf{r}(t) = \langle e^{-3t}, 2 \sin(2t), 2 \cos(2t) \rangle$  find the speed and direction of motion when  $t = 0$ .
2. For the curve in problem 1 find  $\cos(\theta)$ , where  $\theta$  is the angle between the velocity and acceleration vectors when  $t = 0$ .

### Quiz 5

1. Let  $\mathbf{r} = \langle \cos(t) + t \sin(t), \sin(t) - t \cos(t) \rangle$  for  $t > 0$ . Find  $\mathbf{T}$ .
2. For the curve in problem 1 find  $\kappa$ .

### Quiz 6

1. Let  $\mathbf{r} = \langle 2t, t^2, t^3/3 \rangle$ . Find  $a_T$  and  $a_N$ .
2. For the curve in problem 1 find  $\kappa$ .

### Quiz 7

What are the logical implications between the following statements?

- A. The force exerted by the Sun on a planet lies along the line joining the Sun to the planet.
- B. The magnitude of the force exerted by the Sun on a planet is inversely proportional to the distance from the Sun to the planet.
- C. The angular momentum of a planet as it orbits the Sun is constant.
- D. The line from the Sun to a planet sweeps out equal areas in equal time intervals.

### Quiz 8

1. Let  $R$  be the domain of the function  $f(x, y) = \sqrt{1 - x^2 - y^2}$ . Mark each of the following True or False. *Justify each of your responses!*
  - A.  $R$  is bounded.
  - B.  $R$  is open.
  - C.  $R$  is closed.
2. Let  $R$  be the domain of the function  $f(x, y) = \ln(xy)$ . Mark each of the following True or False. *Justify each of your responses!*
  - A.  $R$  is bounded.
  - B.  $R$  is open.
  - C.  $R$  is closed.






### Quiz 9

1. Compute  $\lim_{(x,y) \rightarrow (0,0)} \frac{xy}{x^2 + y^2}$ , or else show that the limit does not exist.
2. Compute  $\lim_{(x,y) \rightarrow (0,0)} \frac{xy^2}{x^2 + y^2}$ , or else show that the limit does not exist.

## Quiz 10

Match each of the following functions to its contour plot of level curves below. *Justify each of your responses!*

1.  $f(x, y) = 4 - 2x - y^2$
2.  $f(x, y) = 4 - 2x^2 - y$
3.  $f(x, y) = 4 - 2x^2 - y^2$
4.  $f(x, y) = 4 + 2x^2 - y^2$



### Quiz 11

1. Compute  $f_x$ , where  $f(x, y, z) = ye^{xz} + \sin(y^2z)$
2. Compute  $f_{xz}$ , where  $f(x, y, z)$  is the function above.

### Quiz 12

1. Find the values of  $\partial z/\partial x$  and  $\partial z/\partial y$  at the point  $(1, 1, 1)$  on the surface  $z^3 - xy + yz + y^3 = 2$ .
2. Find the derivative of the function  $f(x, y) = 2xy - 3y^2$  at the point  $(1, 1)$  in the direction of  $\langle 4, 3 \rangle$ .

### Quiz 13

1. What is the direction in which the function  $f(x, y, z) = xy^2 + 3yz$  increases most rapidly at the point  $(1, 1, 0)$ ?
2. What is the linearization of the function above at the same point  $(1, 1, 0)$ ?

### Quiz 14

Find and classify the critical points of the function  $f(x, y) = x^3 + 3xy + y^3$ .

### Quiz 15

What are the maximum and minimum values of  $f(x, y) = 5x - 12y$  on the circle  $x^2 + y^2 = 1$ , and where do these occur?

### Quiz 16

1. Evaluate  $\iint_R xy e^{xy^2} dA$ , where  $R$  is the rectangle  $[0, 2] \times [0, 1]$ .
2. Evaluate  $\iint_R \frac{y}{xy+1} dA$ , where  $R$  is the rectangle  $[0, 1] \times [0, 3]$ .

### Quiz 17

1. Evaluate  $\int_0^1 \int_y^1 x^2 e^{xy} dx dy$ .
2. Evaluate  $\int_0^8 \int_{\sqrt[3]{x}}^2 \frac{dy dx}{y^4 + 1}$ .

### Quiz 18

Convert  $\int_0^1 \int_x^{\sqrt{2-x^2}} (x+2y) dy dx$  to polar coordinates, and then evaluate the integral.

### Quiz 19

1. Compute the average value of the function  $f(x, y) = xy$  over the portion of the unit disk  $x^2 + y^2 \leq 1$  that lies in the first quadrant.
2. Evaluate  $\int_0^2 \int_0^{2-x} \int_0^{2-x-y} dz dy dx$ .

### Quiz 20

Let  $T$  be the tetrahedron bounded by the coordinate planes and the plane  $x + y + z = 2$ . Suppose that  $T$  has density  $\delta = 3 - z$ . Compute the center of mass of  $T$ .

### Quiz 21

1. Let  $R$  be the thin plate in the  $xy$ -plane bounded by curves  $x = y^2$  and  $x = 2y - y^2$ . Suppose that  $R$  has constant density  $\delta = 2$ . Compute the moments of inertia of  $R$  about the  $x$ -axis, about the  $y$ -axis, and about the origin.
2. Suppose that the thin plate described above has been milled to a nonconstant density  $\delta = xy + 1$ . Compute the center of mass of this milled plate.

### Quiz 22

Rewrite the integral  $\iint_R (2x^2 - xy - y^2) dA$  in terms of  $u$  and  $v$ , where  $u = x - y$ ,  $v = 2x + y$ , and  $R$  is the region bounded by the lines  $y = -2x + 4$ ,  $y = -2x + 7$ ,  $y = x - 2$ , and  $y = x + 1$ . *Extra credit:* Evaluate the integral in both coordinate systems.

### Quiz 23

1. Evaluate  $\int_C f ds$  where  $f(x, y) = x + y^2$  and  $C$  is the arc of the circle  $x^2 + y^2 = 8$  from  $(2, -2)$  to  $(2, 2)$ .
2. Find the center of mass of the piece of wire that lies along the curve  $y = x^2$  from  $(0, 0)$  to  $(2, 4)$  and has density  $\delta = 1 + xy$ .

### Quiz 24

1. Evaluate  $\int_C f ds$  where  $f(x, y, z) = xy + z^2$  and  $C$  is the straight line segment from  $(1, -1, 3)$  to  $(0, 4, 4)$ .
2. Evaluate  $\int_C f ds$  where  $f(x, y) = xy + 3$  and  $C$  is the unit circle, oriented counterclockwise.

### Quiz 25

1. Evaluate  $\int_C \mathbf{F} \cdot \mathbf{T} \, ds$  where  $\mathbf{F}(x, y) = \langle yx, x-y \rangle$  and  $C$  is the circle  $(x-2)^2 + y^2 = 4$ , oriented clockwise.
2. Evaluate  $\int_C yz \, dx - 3xz \, dy + 2x^2 \, dz$  where  $C$  consists of the line segment from  $(0, 2, -1)$  to  $(3, 2, 0)$  together with the line segment from  $(3, 2, 0)$  to  $(1, 3, 0)$ .

### Quiz 26

1. Find the circulation of the vector field  $\mathbf{F}_1(x, y) = \langle -y, x \rangle$  around the unit circle, oriented counterclockwise.
2. Find the flux of the vector field  $\mathbf{F}_2(x, y) = \langle x, y \rangle$  across the unit circle, oriented counterclockwise.
3. *Extra credit:* Are either of the above fields  $\mathbf{F}_1$  or  $\mathbf{F}_2$  conservative? Explain!

### Quiz 27

1. Find the flux of the vector field  $\mathbf{F}(x, y) = \langle 2xy, x - y^2 \rangle$  across the boundary of the *right half* of the disk  $x^2 + y^2 \leq 2$ , oriented counterclockwise.
2. Find the circulation of the vector field  $\mathbf{F}(x, y) = \langle 3y^2, 2xy \rangle$  around the triangle with vertices  $(1, -1)$ ,  $(0, 2)$ , and  $(-3, 0)$ , oriented counterclockwise.

### Quiz 28

1. Find a potential function for the vector field  $\mathbf{F}(x, y, z) = \langle x/\rho^3, y/\rho^3, z/\rho^3 \rangle$ , where  $\rho^2 = x^2 + y^2 + z^2$ .
2. Explain why there is no potential function for the vector field  $\mathbf{F}(x, y) = \langle -y/r^2, x/r^2 \rangle$ , where  $r^2 = x^2 + y^2$ .

### Quiz 29

1. Use Green's Theorem to determine both the outward flux of the vector field  $\mathbf{F} = \langle \sin(y) + 2x, 3y - \cos(x) \rangle$  across the triangle with vertices  $(0, 2)$ ,  $(0, 0)$ , and  $(2, 0)$  and also the counterclockwise circulation around this triangle.
2. Use Green's Theorem to determine both the counterclockwise circulation of the vector field  $\mathbf{F} = \langle xy^2 + 2y, 5x + x^2y \rangle$  around the circle of radius 2 centered at  $(2, 0)$  and also the outward flux across this circle.

### Quiz 30

1. Use Green's Theorem to determine the counterclockwise circulation of the vector field  $\mathbf{F} = \langle 3x - y, 2x + y \rangle$  around the circle of radius 2 centered at the origin.
2. Use Green's Theorem to determine the outward flux of the vector field  $\mathbf{F} = \langle x^2 + 5y, xy + 2x \rangle$  across the triangle with vertices  $(0, 2)$ ,  $(0, 0)$ , and  $(2, 0)$ .

### Quiz 31

1. Let  $\mathbf{F} = \langle 2xy - z^2, yz + 3x^2, 2y^2 - xz \rangle$  and let  $S$  be the portion of the cylinder  $r = 2$  cut from the first octant and lying below the plane  $z = 3$ , with unit normal pointing away from the origin. Use Stokes' Theorem to write the flux of the curl of  $\mathbf{F}$  across  $S$  as both a surface integral and a line integral. Draw  $S$  and its boundary  $C$ , oriented appropriately, and set up the two integrals using explicit parametrizations of  $S$  and  $C$ . *Extra credit:* Evaluate both integrals.
2. Let  $\mathbf{F} = \langle 2xy - z^2, yz + 3x^2, 2y^2 - xz \rangle$  and let  $S$  be the cylindrical can  $r = 2$  with top on the plane  $z = 3$  and bottom on the  $xy$ -plane. Use the Divergence Theorem to write the outward flux of  $\mathbf{F}$  across  $S$  as both a surface integral and a volume integral. Draw  $S$  and set up both integrals explicitly. *Extra credit:* Evaluate both integrals.